

1 Section 101.1 of the International Plumbing Code is amended by insertion
2 of “the City of Longmont” within the brackets.

3 16.16.040 Section 103.1 replaced--General.

4 Section 103.1 of the International Plumbing Code is deleted in its entirety
5 and replaced with the following:

6 The building inspection division is responsible for the administration and
7 enforcement of this code. The chief building official is designated as the code
8 official as used in this title.

9 16.16.050 Section 104.5 deleted--Right of entry.

10 Section 104.5 of the International Plumbing Code is deleted in its entirety.

11 16.16.060 Section 105.4 deleted--Alternative engineered design.

12 Sections 105.4 through 105.4.6 of the International Plumbing Code are
13 deleted in their entirety.

14 16.16.070 Section 106.6.2 replaced--Fee schedule.

15 Section 106.6.2 of the International Plumbing Code is deleted in its
16 entirety and replaced with the following:

17 The fee for any permit required by this code shall be established from time
18 to time by resolution of the city council.

19 16.16.080 Section 106.6.3 amended--Fee refunds.

20 Section 106.6.3 of the International Plumbing Code is amended by
21 inserting “eighty percent” into the brackets of paragraphs numbered 2 and 3.

22 16.16.090 Section 107.2 deleted--Special inspections.

23 Sections 107.2 through 107.2.2 of the International Plumbing Code are
24 deleted in their entirety.

25 16.16.100 Section 108 replaced--Violations.

26 Section 108 International Plumbing Code is deleted in its entirety, and
27 replaced with the following:

28 108.1 Unlawful acts. It is unlawful for any person to erect, install, alter,
29 repair, relocate, add to, replace, demolish, use, occupy or maintain any building or
30 structure, or cause or permit the same to be done, in violation of this code.

1 108.2 Violation. Any person committing or permitting a violation of this
2 code commits a separate offense for each day or part of a day during which the
3 violation exists. Offenses are punishable according to Chapter 1.12 of the
4 Longmont Municipal Code.

5 108.3 Violation penalties. Imposition of one penalty for any violation
6 shall not excuse the violation nor permit it to continue, and all such persons shall
7 correct or remedy such violations or defect within a reasonable time.

8 108.4 Prosecution of violation. In addition to any other penalties, any
9 violation of this code is a public nuisance and shall be enjoined by a court of
10 competent jurisdiction. Nothing in this code shall prevent the city attorney from
11 seeking appropriate legal or equitable relief from any court of competent
12 jurisdiction.

13 16.16.110 Section 109 replaced--Means of appeal.

14 Section 109 of the International Plumbing Code is deleted in its entirety,
15 and replaced with the following:

16 109.1 General. For provisions relating to the Board of Appeals, see
17 section 16.30 of the Longmont Municipal Code.

18 16.16.120 Section 312.4 deleted--Drainage and vent final test.

19 Section 312.4 of the International Plumbing Code is deleted in its entirety.

20 16.16.130 Section 312.9 deleted--Inspection and testing of backflow prevention
21 assemblies.

22 Section 312.9 of the International Plumbing Code is deleted in its entirety.

23 16.16.140 Section 711.1.1 deleted--Omission of vents for vertical stack offsets.

24 Section 711.1.1 of the International Plumbing Code is deleted in its
25 entirety.

26 16.16.150 Section 711.3 amended--Horizontal stack offsets.

27 Section 711.3 of the International Plumbing Code is amended by deleting
28 item #3 in its entirety.

29 16.16.160 Section 711.3.1 deleted--Omission of vents for horizontal stack
30 offsets.

1 Section 711.3.1 of the International Plumbing Code is deleted in its
2 entirety.

3 16.16.170 Section 712.2 amended--Valves required.

4 Section 712.2 of the International Plumbing Code is amended by the
5 deletion of the "Exception" in its entirety.

6 16.16.180 Section 712.3.1 amended--Sump pump.

7 Section 712.3.1 of the International Plumbing Code is amended by the
8 addition of the following:

9 In public use occupancies, dual pumps shall be required and shall be
10 arranged to function independently.

11 16.16.190 Section 714 deleted--Computerized drainage design.

12 Section 714 of the International Plumbing Code is deleted in its entirety.

13 16.16.200 Section 802.4 amended--Standpipes.

14 Section 802.4 of the International Plumbing Code is amended by the
15 addition of the following:

16 Traps shall not be located below the floor.

17 16.16.210 Section 901.6 deleted--Engineered systems.

18 Section 901.6 of the International Plumbing Code is deleted in its entirety.

19 16.16.220 Section 904.1 amended--Roof extension.

20 Section 904.1 of the International Plumbing Code is amended by inserting
21 the numbers "6" and "152.4" in the brackets.

22 16.16.230 Section 904.6 deleted--Extension through the wall.

23 Section 904.6 of the International Plumbing Code is deleted in its entirety.

24 16.16.240 Section 905.4 amended--Vertical rise of vent.

25 Section 905.4 of the International Plumbing Code is amended by addition
26 of the following wording at the end of the section:

27 unless drainage fittings are used.

28 16.16.250 Section 908.2 amended--Connection at the same level.

29 Section 908.2 of the International Plumbing Code is amended by deleting
30 the last five words of the section.

31 16.16.260 Section 910 deleted--Waste stack vent.

1 Section 910 and Table 910.4 of the International Plumbing Code are
2 deleted in their entirety.

3 16.16.270 Section 911 deleted--Circuit venting.

4 Section 911 of the International Plumbing Code is deleted in its entirety.

5 16.16.280 Section 912 replaced--Combination drain and vent system

6 Sections 912.1 through 912.3 and Table 912.3 of the International
7 Plumbing Code are deleted their entirety and replaced with the following:

8 912.1 General. Combination drain and vent systems may be approved
9 when structural conditions preclude the installation of conventional systems.
10 Plans and specifications for combination systems must be submitted to and
11 reviewed by the building official before installation of any such system.

12 16.16.290 Section 918 deleted--Engineered vent systems.

13 Section 918 and Table 918.2 of the International Plumbing Code are
14 deleted in their entirety.

15 16.16.300 Appendix Chapter C amended--Gray water recycling.

16 Appendix Chapter C of the International Plumbing Code is amended by
17 addition of the following:

18 Installation shall comply with Boulder County health department
19 guidelines.